



**NoBark**  
**SPRAY**

## User's guide

### DECLARATION OF CONFORMITY

**DOGTEK®**

Declares that  
the bark control collar

**NoBark Spray**

complies with all FCC regulations  
and complies with the standards below

EN 61000-6-1 (2007) et EN 61000-6-3 (2007)

spurious emissions: EN 55016-2-3

immunity to static discharge: EN 61000-4-2  
immunity to radiated electromagnetic fields:  
EN 61000-4-3



Thank you for choosing this DOGTEK product.

Before using this product, carefully read the instructions in this manual; be sure to keep it safe for future reference.

<b>Index</b>	<b>Page</b>
How to obtain the best results .....	2
Package contents .....	2
How the collar works .....	3
Filling the spray reservoir .....	3
Activate the collar .....	4
Deactivate the collar .....	4
Replacing battery .....	5
Fitting the collar .....	5
Cautions for use .....	6
Maintenance .....	6
Troubleshooting .....	6
Technical specifications .....	7
Warranty .....	7
Warranty conditions .....	7
Spare parts .....	8

## How to obtain the best results

### **The owner's involvement during the first use of the product Is a key factor in obtaining the best results.**

Do not leave your dog unattended with the collar **on until he is used to wearing it and you are satisfied that it is working correctly.**

Closely watch your pet during the first days' use.

When your dog is barking, let the collar operate without interference. Any interference on your part could teach your dog that barking is a means to get your attention. As soon as your dog stops barking, reward your dog (but not excessively) with petting, verbal praise or dry food.

When you first begin to use NoBark Spray collar, refill the reservoir frequently. It's very important that your dog never empties the collar. Otherwise, he will understand that he can stop the sprays by barking during a certain amount of time. Moreover, he will associate barking with reward.

Remember that barking can indicate some behavioural problems. The bark control collar will allow you to resolve problems caused by excessive barking.


Before using the collar, have your dog checked by your veterinarian.

#### ▪ **Package contents**

- collar equipped with a nylon strap and a long life battery
- spray refill (citronella, lavender or unscented)
- this user's guide

- **How the collar works**

**Diagram 1**



- **Filling the spray reservoir**

Before turning the collar On, you have to fill the reservoir of your product.

To avoid unexpected triggering while you are filling or refilling the product, **the collar should be imperatively turned Off.**

Precautions for filling the spray reservoir:

- Do not fill the unit while your dog is wearing the collar.
- Fill the reservoir away from sources of ignition, naked flame or any incandescent material. Do not smoke.
- Direct the spraying valve away from your body (especially from your eyes).
- Only use DOGTEK branded spray refills with your NoBark Spray collar.


To fill the reservoir, proceed as follows:

- Put the unit on a flat and stable surface with the refill valve upright and the spraying valve directed away from your body and your eyes (See Diagram 2).
- Hold the spray can upside down then insert the nozzle in the refill valve.
- Firmly push down on the spray can and hold for 3 seconds, then release. If spray is escaping while you are filling the reservoir, you are not pressing firmly enough and/or you are not holding the can in a vertical position (See Diagram 2).
- Wait for a short time and then turn your collar On by pressing on the red On/Off button with the point of a pen in order to trigger a spray (see Diagram 3).
- Blow on the hole located close to the serial number label 2 or 3 times in order to ensure the good operation of the product.
- Before finishing to fill the reservoir, check that the collar is turned Off.
- Turn the spray can upside down and insert the nozzle in the refill valve (spray refill in a vertical position).
- Firmly push down on the spray can for 10 seconds then release.

There are about 25 sprays in each reservoir.

It is very important to refill the product before the spray reservoir runs dry. Otherwise, your dog will understand that he can stop the sprays by barking during a certain amount of time. Moreover, he will associate barking with reward.

**Diagram 2**



▪ **Activate the Collar**

- Before turning the collar On, make sure to **direct the spraying valve away from your body and particularly away from your face** because the collar automatically emits a spray when you switch it On.
- Press the red On/Off button so that it does not come out of the plastic case (button inserted approx. 1 mm inside the collar). Use a pointed object such as the point of a pen to sufficiently press the button.
- The collar will automatically emit a spray (or a “click” sound if the reservoir is empty).
- In order to test the good activation of the collar, blow on the hole located close to the serial number label (see Diagram 1). A spray is emitted indicating the collar is On (the collar will emit a “click” sound if the reservoir is empty).

▪ **Deactivate the Collar**

Press the red On/Off button using a pointed object such as the point of a pen.

### ▪ **Replacing the battery**

The battery supplied in the collar is a SAFT 3.6 Volt Lithium battery.

Battery life is:

- approximately 3 years on regular use
- approximately 4 years in stand-by

**CAUTION: The battery can only be replaced by the manufacturer.**

For further information, please contact DOGTEK.

**CAUTION: Do not under any circumstances open the NoBark Spray collar. You could damage components. Moreover, opening the collar voids your warranty.**

### ▪ **Fitting the collar**

Collar adjustment is very important:

- If the nylon strap is too loose, the collar is likely to move and it will not operate properly.
- If the nylon strap is too tight, the dog will have breathing difficulties.


The nylon strap is properly adjusted when you can insert two fingers between the strap and your dog's neck.

The collar must be positioned on your dog's neck with:

- The spraying valve and the microphone pointing up toward your dog's snout (See Diagram 3).
- The refill valve directed downward. Reservoir in contact with your dog's neck (See Diagram 3).

If you have a long haired dog, make sure that the spray reaches the dog's snout area. If necessary, trim the hair on your dog's neck.

**Do not leave the NoBark Spray collar on your dog more than 8 hours a day.**



**Diagram 3**

### ▪ **Cautions for use**

- The collar should only be used on dogs over 6 months old.
- Before using the collar, have your dog checked by your veterinarian to ensure he is fit to wear a bark control collar.
- The collar is weatherproof but not waterproof.
- Do not place or keep the device in places exposed to temperatures exceeding 105°F.
- To avoid unexpected triggering, your dog should not wear a medal, metallic collar, or any other kind of collar together with the NoBark Spray collar.
- If you are not using the collar for 15 days or more, empty the reservoir by pressing on the refill valve with a ballpoint pen.
- Using a mobile phone within 3 feet from the collar can occasionally trigger it.
- **Under no circumstances should you open the NoBark Spray collar. You could damage components. Moreover, opening the collar voids your warranty.**
- Keep the NoBark Spray collar and refill can out of reach of children.

**CAUTION:** the refill can is a pressurized container.

- Keep the refill can away from direct sunlight and do not expose it to temperatures exceeding 120°F.
- Do not pierce or burn the refill can, even after use.
- Do not spray on a naked flame or any incandescent material.
- Keep it away from sources of ignition – No smoking.
- Do not use it or keep it in a confined area.
- Use only as directed.

### ▪ **Maintenance**

- To clean the collar use a soft cloth moistened with water or a mild detergent. Do not use solvents or harsh detergents.
- The nylon strap can be washed with soapy water.
- The spray can make your dog's hair sticky. Wash your dog's neck area weekly with a wash cloth and mild soap then rinse and dry.

### ▪ **Troubleshooting**

Before thinking your collar is broken, first read this guide over, then **make sure the problem is not caused by an empty reservoir or an incorrect use.**

If the problem persists, **contact DOGTEK**

Depending on the extent of the malfunction, you may have to return your product for service and repair.

▪ **Technical specifications**

Power	SAFT 3.6 Volt Lithium battery
Battery life	approximately 3 years in regular use approximately 4 years in stand-by
Reservoir capacity	25 sprays
Citronella spray can Lavender spray can Natural spray can	Natural citronella essential oil Natural lavender essential oil Quality cosmetic alcohol Each refill can contain approximately 200 sprays (that is to say that you can refill your collar about 8 times).
Water Resistance	weatherproof
Bark detection	by microphone
Dimensions	2.3 x 1.25 x 1.25 in.
Weight (with battery)	1.5 oz
Adjustable collar for necks	from 6 inches to 22 in.
Operating temperature	between 41°F and 104 °F

▪ **Warranty**

DOGTEK guarantees the product against production defects with a limited lifetime warranty.

All postage and packing charges will be the purchaser's sole responsibility.

▪ **Warranty conditions**

1. The warranty will be valid only if the proof of purchase (invoice or sales receipt), without cancellation, is submitted to the distributor or to DOGTEK. The warranty is limited to the original purchaser.
2. This warranty does not cover the following:
  - changing the battery
  - changing the nylon strap
  - supplying spray refills
  - direct or indirect transport risks incurred when sending the article back to the distributor or DOGTEK
  - damage to the article caused by:
    - negligence or incorrect use (ex. bites, breakage, cracking)
    - use contrary to the instructions or not envisioned therein
    - repairs performed by unauthorized persons
  - loss or theft
3. If the product is found to be defective, DOGTEK will repair or replace it at their discretion.
4. No claim may be advanced against DOGTEK, particularly in relation to incorrect use or breakdown.
5. DOGTEK reserves the right to modify the characteristics of its products with a view to making technical improvements or to comply with new regulations.
6. The information contained in this guide may be subjected to amendment without prior notice.
7. Photos and drawings are not contractual.

- **Spare parts**

You can purchase spare parts from your supplier at any time (nylon strap, citronella refills, lavender refills or odourless refills).



**[www.DOGTEK.com](http://www.DOGTEK.com)**

**[contact@dogtek.com](mailto:contact@dogtek.com)**

